





JAN 08 1979

WANG LABORATORIES, INC. LOWELL, MASS. U.S.A.		BY	DATE	APPROVED BY	DATE
		DWN	EA	ENG	
MATERIAL		MODEL NO	TITLE		
FINISH		SEE ENGINE SPECIFICATIONS	4-HEAD CHINESE PRINTER CONTROLLER		
TOL. IS AS NOTED		22611V	210-7239A		
SCALE		1/2" = 1"	SIZE	D	7239
SHEET		1 OF 5	WANG PART NUMBER	REV	2



JAN 08 1979


(WANG) LABORATORIES, INC. LITTLE ROCK, ARK. U.S.A.		BY	DATE	APPROVED BY	DATE
DWN		C.K.	4-22-79	E ENGR	
CHK				M ENGR	
				MFG ENGR	
MATERIAL		MODEL NO. 2261W			
		SEE ENGINE SPECIFICATIONS			
FINISH		TOL. AS NOTED			
		PRAC. ±			
		ANG. ±			
		FINISH ±			
SCALE		SHEET 2 OF 3			
TITLE		4-HEAD CHINESE PRINTER CONTROLLER			
210-7239A		D		7239	2
WANG PART NUMBER		SIZE		DRAWING NUMBER	

THIS DRAWING AND THE DATA SHOWN THEREON ARE THE CONFIDENTIAL PROPERTY OF AND ARE PROPRIETARY TO WANG LABORATORIES, INC. THIS DRAWING AND THE DATA SHOWN THEREON MAY NOT BE MADE PUBLIC WITHOUT THE WRITTEN CONSENT OF WANG LABORATORIES, INC. IF FOR ANY REASON THIS DRAWING IS PERMITTED BY WANG TO LEAVE THE PHYSICAL CUSTODY OF THE COMPANY, IT IS RETURNABLE UPON THE DEMAND OF WANG LABORATORIES, INC.

COMPONENT	W.L. PART NO.	TYPE
R1, 6-14	330-3010	1K 1/2W 10%
R2, 5	330-4010	10K 1/2W 10%
R3	330-3022	2.2K 1/2W 10%
R4	330-3033	3.3K 1/2W 10%
C1, 3, 5, 7, 9, 11, 13, 15, 17	300-1933	.1uF 50V H.F. 50%
C2, 4, 6, 8, 10, 12, 14, 16, 18	300-1931	1uF 50V H.F. 50%
C19-37	300-1900	.05uF 12V
C38, 39, 40, 41	300-4022	15uF 25V TANT.
XTAL	321-0018	17.1 MHZ
L1, 14, 15	376-9003	24 PIN SOCKET
L2-10, 13, 16-24	376-9002	16 PIN SOCKET
L50	376-9011	40 PIN SOCKET
L58	376-9015	28 PIN SOCKET

LOCATION	W.L. PART NO.	TYPE
L1, 14, 15	SEE CHART	2708
L2-10, 16-24	377-0069	2102
L11, 25, 40	376-0081	7408
L12, 37, 44, 53	376-0008	7442
L13	377-0337	8224
L26	376-0011	7493
L27, 41, 42, 49	376-0010	7404
L28, 29	376-0006	7474
L30, 31, 32	376-0002	7400
L33, 34, 35, 39, 48, 57	376-0176	74367
L36	376-0188	74279
L38	376-0093	7432
L45, 46, 51, 52	376-0082	74157
L47, 56	376-0056	7407
L50	377-0269	8080A
L54, 55	376-0097	74195
L58	377-0338	8228
L43	NOT USED	

MEMORICS	COORDINATES
A0-A15	1F11
CLR	1A4
DATA1-DATA8	2D11
D4I	1A8
D0-D7	1A8
DOT	1C1
DSTB	1D1
DSTB	2A11
I, I9	2B5
I/OR	1A7
I/OW	1A7
M1-M8	1G1
M9/O9	1G2
MD00-MD04	1B5
MEMR	1A7
MEMW	1A7
O1-O9	2B4
Q1, Q2	2E10
PWR PRIME	2G9
RA-RF	1C6
R07	2E11
R8, R9	1C6
RDY	2E10
RST	2E10
SFT	1E3
SYNC	2G10
TOT	2F11
TPI	2G9
TSP	2G11
W1-W9	1E5
WR	1A9
WR	1A9
WSP	2G11
X0-X7	2D6



LOCATION	TYPE	SPARES
L32	7400	1
L41	7404	2
L47	7407	4
L49	7404	1

MODEL	209	210	L1	L14	L15
2261W	7239	7239A	377-0317	377-0317	377-0317
2261WC	7239	7239B	378-2190	378-2191	378-2192

